## NSN 5365-00-585-3164

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-585-3164 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 15.0 **Chamfer Length:** 0.063 inches Width: 0.250 inches **Overall Length:** 1.969 inches **Thread Size:** 3-1/4 in. -16 **Bore Diameter:** 2.754 inches Depth: 0.125 inches Bore Shape: Straight **Screw Thread Series Designator:** 16un **Drive Type:** Slotted face **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 1.625 inches **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** 

**Bore Edge Process:**Chamfered

Not included

## **NSN 5365-00-585-3164**Externally Threaded Ring - Page 2 of 2



Process End Location:
Both ends
Material:
Steel, sae j404, comp 4130 to 4140
Material:
Steel, sae j404, comp 4130 to 4140
Surface Treatment:
Zinc
Surface Treatment:
Zinc plated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d