NSN 5365-00-597-8793

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-597-8793

View Online at https://aerobasegroup.com/nsn/5365-00-597-8
Thread Pitch Diameters:
+18.903 to 19.026 millimeters
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Width:
Between 3.000 millimeters and 3.200 millimeters
Overall Length:
Between 8.900 millimeters and 9.000 millimeters
Thread Size:
1.5 mm - 20
Bore Diameter:
Between 14.750 millimeters and 14.850 millimeters
Depth:
Between 3.000 millimeters and 3.200 millimeters
Bore Shape:
Straight
Screw Thread Series Designator:
Metric
Drive Type:
Slotted face
Material Hardness Rating:
Not rated
Accommodation Type And Quantity:
2 slots
Angle Between Accommodations In Deg:
180.0
Radius From Geometric Axis To Accommodation:
Between 8.890 millimeters and 8.940 millimeters
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Special Features:
Unthreaded section 1.0 to 1.2 mm lg on end opposite slots
Material:
Steel, sae 1113
Material:
Charleson 4040

Steel comp 1213

NSN 5365-00-597-8793

Externally Threaded Ring - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d