## NSN 5365-00-597-8826

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-597-8826 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 4.0 **Chamfer Length:** Between 0.021 inches and 0.023 inches Width: 0.063 inches **Overall Length:** 0.220 inches **Thread Size:** 1.92 in. -32 **Bore Diameter:** 1.770 inches Depth: 0.063 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Included **Setscrew Locking Notch:** Included **Bore Edge Process:** Chamfered **Process End Location:** End opposite drive end

Material:
Aluminum alloy, ww-t-789-canceled

## NSN 5365-00-597-8826

Externally Threaded Ring - Page 2 of 2



ate	

Aluminum alloy 6061 or aluminum alloy 6062

**Surface Treatment:** 

Black dye

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d