Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-598-3584

Thread Direction:	
Right-hand	
Casehardening Indicator:	
Not casehardened	
Chamfer Angle In Deg:	
45.0	
Chamfer Length:	
0.031 inches	
Width:	
0.094 inches	
Overall Length:	
0.250 inches	
Thread Size:	
1-11/64 in24	
Bore Diameter:	
0.875 inches	
Depth:	
0.063 inches	
Bore Shape:	
Straight	
Screw Thread Series Design	nator:
Special thd	
Drive Type:	
Slotted face	
Accommodation Type And	Quantity:
2 slots	
Angle Between Accommoda	ations In Deg:
180.0	
Beveled Thread:	
Not included	
Bore Annular Internal Serrat	tion:
Not included	
Setscrew Locking Notch:	
Not included	
Bore Edge Process:	
Chamfered	
Process End Location:	
Both ends	
Material:	
Brass, qq-b-626	
Material:	
Copper alloy 268 or copper all	loy 260 or copper alloy 240 or copper alloy 230 or copper alloy 377 or copper alloy 360 or c

Copper alloy 268 or copper alloy 260 or copper alloy 240 or copper alloy 230 or copper alloy 377 or copper alloy 360 or copper alloy 342 or copper alloy 353 or copper alloy 262 or copper alloy 270 or copper alloy 272 or copper alloy 274 or copper alloy 280 or copper alloy 330 or copper alloy 331 or copper alloy 332 or copper alloy 335 or copper alloy 340 or copper alloy 344 or copper alloy 345 or copper alloy 347 or copper alloy 348 or copper alloy 350 or copper alloy 356 or copper alloy 370 or copper alloy 344 or copper alloy 345 or copper alloy 347 or

## NSN 5365-00-598-3584

Externally Threaded Ring - Page 2 of 2

Surface Treatment:

Cadmium

Surface Treatment:

Cadmium plated

Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

Fiig:

T252-d

