NSN 5365-00-598-8977

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-598-8977 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 90.0 **Chamfer Length:** 0.0940 inches Width: 0.250 inches **Overall Length:** 0.4375 inches **Thread Size:** 2.875 in. -16 **Bore Diameter:** 2.375 inches Depth: 0.1562 inches Bore Shape: Straight **Screw Thread Series Designator:** 16n **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Radius From Geometric Axis To Accommodation:** 1.312 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:**

Angle Between Accommodations In Deg:

90.0

Radius From Geometric Axis To Accommodation:

1.312 inches

Beveled Thread:
Not included

Bore Annular Internal Serration:
Not included

Setscrew Locking Notch:
Not included

Bore Edge Process:
Chamfered

Process End Location:
Drive end

NSN 5365-00-598-8977

Externally Threaded Ring - Page 2 of 2



Material:
Aluminum alloy, qq-a-268-canceled
Material:
Aluminum alloy 2024
Surface Treatment:
Anodize
Surface Treatment:
Anodized
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d