NSN 5365-00-598-9162

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-598-9162 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.015 inches Width: 0.218 inches **Overall Length:** 0.312 inches **Thread Size:** 1-1/16 in -18 thd size **Bore Diameter:** 0.734 inches Depth: 0.140 inches Bore Shape: Straight **Screw Thread Series Designator:** Unef **Drive Type:** Slotted face **Material Hardness Rating:** Between 26.0 rockwell c and 32.0 rockwell c **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included

Bore Edge Process:

Chamfered

NSN 5365-00-598-9162

Externally Threaded Ring - Page 2 of 2



_		
Process	End	Location:

End opposite drive end

Material:

Steel, ams 5610

Material:

Steel comp 416se

Surface Treatment:

Passivate

Surface Treatment:

Passivated

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d