Machine Thread Bushing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5365-00-610-6014

view Online at https://aerobasegroup.com/nsn/5365-00-610-6014	
Thread Direction:	
Right-hand	
Slot Depth:	
0.250 inches	
Slot Width:	
Between 0.375 inches and 0.391 inches	
Overall Length:	
1.156 inches	
Diameter:	
4.125 inches	
Thickness:	
Between 0.592 inches and 0.608 inches	
Wrenching Facility Shape:	
Slotted	
Screw Thread Length:	
0.431 inches	
Hole Inside Diameter:	
1.750 inches	
Thready Qty Per Inch (tpi):	
12	
Thread Size:	
2.625 inches	
Material:	
Steel or steel comp 4140	
Material Specification:	
Astm a108, grade 1045 assn standard single material response or astm a576, grade 1045 a	ssn standard single material response or astm
a322, grade 4140, 4142 or 4145 assn standard single material response or astm a331, grad	de 4140, 4142 or 4145 assn standard single
material response	
Surface Treatment:	
Dxide	
Surface Treatment Specification:	
Mil-c-13924 military specification single treatment response	
Thread Series Designator:	
Un	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A540s0	
Mil-std (military Standard):	
Mil-c-13924 spec.	