NSN 5365-00-615-5992

Thread Pitch Diameters:

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-615-5992

+4.7609 to 4.7629 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Overall Length:
1.303 inches
Diameter:
0.391 inches
Thread Size:
4.8819d - 0.2362p - mod 6 degrees - r
Bore Diameter:
3.583 inches
Depth:
0.230 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Special acme
Drive Type:
Drilled face
Material Hardness Rating:
C16 to c27
Accommodation Type And Quantity:
2 holes
Angle Between Accommodations In Deg:
180.0
Radius From Geometric Axis To Accommodation:
2.0865 inches
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Special Features:
Center hole counterbored 0.396 in. Deep to 4.33 in. Diameter on side opposite drilled face
Material:
Steel, qq-s-634, comp 1045-canceled
Material:
Steel comp 1045

NSN 5365-00-615-5992

Externally Threaded Ring - Page 2 of 2



Surface Treatment:
Oxide
Surface Treatment:
Black oxide
Fsc Application Data:
Recoil cylinder head, carriage, gun, 155mm, m3
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T252-d