## NSN 5365-00-616-5280

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-616-5280 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.030 inches Width: 0.200 inches **Overall Length:** 0.860 inches **Thread Size:** 2-7/16 - 16 **Bore Diameter:** 1.800 inches Depth: 0.240 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** End opposite drive end Material:

Aluminum alloy, qq-a-267, t4-canceled

## NSN 5365-00-616-5280

Externally Threaded Ring - Page 2 of 2



Material:
Aluminum alloy 2024
Surface Treatment:
Anodize
Surface Treatment:
Anodized
Fsc Application Data:
Cylinder, hydraulic system aircraft
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d