Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-619-7260

	Fhread Class:
2	2a
(Casehardening Indicator:
٢	Not casehardened
(Chamfer Angle In Deg:
2	15.0
(Chamfer Length:
C	0.030 inches
١	Vidth:
0	0.380 inches
(Overall Length:
0	0.380 inches
٦	Thread Size:
5	5.500-16
E	Bore Diameter:
2	I.860 inches
C	Depth:
C	0.100 inches
E	Bore Shape:
S	Straight
Ś	Screw Thread Series Designator:
ι	Jn
C	Drive Type:
S	Slotted face
N	Naterial Hardness Rating:
E	Between 26.0 rockwell c and 33.0 rockwell c
٦	Thread Location:
E	Both ends
ŀ	Accommodation Type And Quantity:
2	slots
ŀ	Angle Between Accommodations In Deg:
g	0.0
E	Beveled Thread:
I	ncluded
E	Bore Annular Internal Serration:
ſ	Not included
ξ	Setscrew Locking Notch:
٢	Not included
E	Bore Edge Process:
(Chamfered
	Process End Location:

NSN 5365-00-619-7260

Externally Threaded Ring - Page 2 of 2

AeroBase Group

Material:

Steel

Material:

Steel

Fsc Application Data:

Propeller, aircraft, variable pitch

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d