NSN 5365-00-634-6929

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-634-6929 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.020 inches Width: 0.130 inches **Overall Length:** 0.560 inches **Thread Size:** 1-1/4 in.-18 **Bore Diameter:** 1.065 inches Depth: 0.080 inches Bore Shape: Straight **Screw Thread Series Designator:** Unef **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** End opposite drive end

Material: Steel, ww-t-731, comp a-canceled

NSN 5365-00-634-6929

No **Fiig:** T252-d

Externally Threaded Ring - Page 2 of 2



Material:
Steel comp 1010 or steel comp 1012 or steel comp 1015
Material Specification:
Ww-t-731, comp a-canceled federal specification single material response
Surface Treatment:
Cadmium
Surface Treatment:
Cadmium plated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: