## NSN 5365-00-640-0149

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-640-0149 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.0312 inches Width: 0.062 inches **Overall Length:** 0.312 inches **Thread Size:** 1/2 in.-20 **Bore Diameter:** 0.250 inches Depth: Between 0.094 inches and 0.109 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Unf **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 360.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Both ends **Special Features:** 

112.5 microinch finish all surfaces; cage 98750-44a986

## **NSN 5365-00-640-0149**Externally Threaded Ring - Page 2 of 2



Material:
Steel, federal standard 66, aisi b1113 or steel, sae 1113
Material:
Steel comp 1213 or steel comp 1213
Surface Treatment:
Oxide
Surface Treatment:
Black oxide
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d