

View Online at <https://aerobasegroup.com/nsn/5365-00-652-6296>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

0.062 inches

**Overall Length:**

1.062 inches

**Diameter:**

0.531 inches

**Thread Size:**

4.500-12

**Bore Diameter:**

3.2500 inches

**Depth:**

0.250 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

12un

**Drive Type:**

Drilled face

**Material Hardness Rating:**

C29 to c34

**Thread Location:**

End opposite drive end

**Accommodation Type And Quantity:**

4 holes

**Angle Between Accommodations In Deg:**

90.0

**Radius From Geometric Axis To Accommodation:**

2.000 inches

**Beveled Thread:**

Included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

End opposite drive end

**Material:**

Steel, federal standard 66, aisi/sae 1040

**Material:**

Steel comp 1040

**Surface Treatment:**

Phosphate

**Surface Treatment:**

Phosphate

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d