NSN 5365-00-655-8074

Steel

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-655-8074 **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Width: 0.250 inches **Overall Length:** 0.250 inches **Thread Size:** 4.628 in. -8 thd size 4-5/8 in. -8 thd size **Bore Diameter:** 4.062 inches Depth: 0.062 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Ns **Drive Type:** Slotted face **Material Hardness Rating:** Between 26.0 rockwell c and 33.0 rockwell c **Thread Location:** Both ends **Accommodation Type And Quantity:** 4 slots Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Criticality Code Justification:** Feat **Special Features:** Has critical outer and inner diameters, as well as a threaded outer surface, which are critical for proper operation of the propeller Material: Steel Material:

NSN 5365-00-655-8074

Externally Threaded Ring - Page 2 of 2



Fsc Application Data	Fsc A	oplicatio	n Data:
----------------------	-------	-----------	---------

Propeller, aircraft, variable pitch

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d