NSN 5365-00-663-9193

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-663-9193 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.015 inches **Overall Length:** 0.225 inches Diameter: 0.062 inches **Taper Minor Diameter:** 0.286 inches **Taper Major Diameter:** 0.437 inches **Thread Size:** 0.625 -40 Depth: 0.082 inches **Bore Shape:** Tapered **Screw Thread Series Designator:** Uns **Drive Type:** Drilled face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 0.188 inches **Beveled Thread:** Not included **Taper Major Diameter Location:** Opposite drive end **Bore Annular Internal Serration:**

Not included
Setscrew Locking Notch:

Not included

NSN 5365-00-663-9193

Externally Threaded Ring - Page 2 of 2



Bore Edge Process:
Chamfered
Process End Location:
Drive end
Material:
Steel, mil-s-7720, comp 303s, cond a
Material:
Steel comp 303
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d