NSN 5365-00-664-2240

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-664-2240 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.016 inches Width: 0.062 inches **Overall Length:** 0.140 inches **Thread Size:** 0.936 in.-48 **Bore Diameter:** 0.866 inches Depth: 0.040 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Both ends

Material:Aluminum alloy, qq-a-354-canceled

NSN 5365-00-664-2240

Externally Threaded Ring - Page 2 of 2



M	lat	Or	וכו	

Aluminum alloy 2024

Surface Treatment:

Anodize

Surface Treatment:

Black aluminum anodize

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

T252-d