

View Online at <https://aerobasegroup.com/nsn/5365-00-664-4495>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Overall Length:**

0.250 inches

**Diameter:**

0.096 inches

**Thread Size:**

7/8 in.-20

**Bore Diameter:**

0.250 inches

**Depth:**

0.063 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Nef or unef

**Drive Type:**

Drilled face

**Accommodation Type And Quantity:**

2 holes

**Angle Between Accommodations In Deg:**

180.0

**Radius From Geometric Axis To Accommodation:**

0.2655 inches

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Special Features:**

0.500 in. Diameter by 0.0625 in. Deep counterbore under side of ring; 1/32 in. By 45 degree chamfer on both end of od

**Material:**

Brass, qq-b-626, alloy 360

**Material:**

Copper alloy 360

**Fsc Application Data:**

Hydraulic gear pump, turret traversing, tank

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d