## NSN 5365-00-685-1163

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-685-1163 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.025 inches Width: 0.126 inches **Overall Length:** 0.240 inches **Thread Size:** 1.000-32 **Bore Diameter:** 0.734 inches Depth: 0.062 inches Bore Shape: Straight **Screw Thread Series Designator:** Unc **Drive Type:** Slotted face **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** 

Not included

Bore Edge Process:
Chamfered
Process End Location:
End opposite drive end

## NSN 5365-00-685-1163

Externally Threaded Ring - Page 2 of 2



Material:
Steel, qq-s-763, class 416, cond a
Material:
Steel comp 416
Surface Treatment:
Passivate
Surface Treatment:
Passivated
Fsc Application Data:
Platform assembly, automatic pilot
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d