NSN 5365-00-692-1518

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-692-1518 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.031 inches Width: 0.040 inches **Overall Length:** 0.313 inches **Thread Size:** 13/16 in.-32 **Bore Diameter:** 0.640 inches Depth: 0.063 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns or ns **Drive Type:** Slotted face **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** 1 slots Angle Between Accommodations In Deg: 360.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:**

End opposite drive end

NSN 5365-00-692-1518

Externally Threaded Ring - Page 2 of 2



Material:
Brass, qq-b-626, alloy 360
Material:
Copper alloy 360
Surface Treatment:
Oxide
Surface Treatment:
Black oxide
Fsc Application Data:
Circle, aiming, m2, integrated with fire control equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T252-d