

View Online at <https://aerobasegroup.com/nsn/5365-00-700-3815>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

0.050 inches

**Width:**

Between 0.240 inches and 0.250 inches

**Overall Length:**

0.515 inches

**Thread Size:**

1.625-18

**Bore Diameter:**

1.312 inches

**Depth:**

0.032 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Unef

**Drive Type:**

Slotted face

**Material Hardness Rating:**

Between 26.0 rockwell c and 33.0 rockwell c

**Accommodation Type And Quantity:**

4 slots

**Angle Between Accommodations In Deg:**

90.0

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

Both ends

**Material:**

Steel, mil-t-6736, type 1, cond n

**Material:**

Steel comp 4130

**Surface Treatment:**

Cadmium

**Surface Treatment:**

Cadmium

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-d