NSN 5365-00-721-5229

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-721-5229 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Overall Length:** 0.420 inches Diameter: 0.070 inches **End Radius:** 0.030 inches **Thread Size:** 0.760 in. -32 **Bore Diameter:** 0.265 inches Depth: 0.100 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Drilled face **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 120.0 **Radius From Geometric Axis To Accommodation:** 0.250 inches **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:**

Not included **Bore Edge Process:** Rounded **Process End Location:** Both ends

NSN 5365-00-721-5229

Externally Threaded Ring - Page 2 of 2



Special Features: Counter bored to 0.281 in. Diameter by 0.330 in. Lg Material: Steel, qq-s-764, comp 303, cond a-canceled Material: Steel comp 303 **Surface Treatment:** Passivate **Surface Treatment:** Passivated **Fsc Application Data:** Cylinder assembly, emergency oxygen, aircraft Shelf Life: N/a **Unit Of Measure:** Demilitarization: No

Fiig: T252-d