Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-730-7494

Thread Class:
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Diameter:
Between 0.187 inches and 0.197 inches
Thread Size:
3-3/8 in16
Bore Diameter:
Between 2.750 inches and 2.760 inches
Depth:
0.250 inches
Bore Shape:
Straight
Screw Thread Series Designator:
16 n
Drive Type:
Drilled face
Accommodation Type And Quantity:
4 holes
Angle Between Accommodations In Deg:
90.0
Radius From Geometric Axis To Accommodation:
1.500 inches
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Special Features:
0.093 in. W by 3.280 in. Diameter thd relief and 3.500 in. Od by 0.089 in. Wide lip next to thd relief
Material:
Steel, carbon
Material:
Steel
Surface Treatment:
Phosphate
Surface Treatment:
Phosphate

## NSN 5365-00-730-7494

Externally Threaded Ring - Page 2 of 2



## **Fsc Application Data:**

Rifle, 106-mm, m40

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

T252-d