## NSN 5365-00-741-2330

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-741-2330

Inread Pitch Diameters:
+2.2050 to 2.2094 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Chamfer Angle In Deg:
45.0
Chamfer Length:
0.031 inches
Width:
0.125 inches
Overall Length:
0.375 inches
Thread Size:
2.250-16
Bore Diameter:
Between 2.057 inches and 2.059 inches
Depth:
0.188 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Uns
Drive Type:
Slotted face
Accommodation Type And Quantity:
4 slots
Angle Between Accommodations In Deg:
90.0
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Chamfered
Process End Location:
Drive end
Special Features:
1/8 in. Width by 2-5/8 in. Diameter flange on drive end; with thread relief

## NSN 5365-00-741-2330

Externally Threaded Ring - Page 2 of 2



Material:
Brass
Material:
Copper alloy
Fsc Application Data:
Thermostat housing, engine, nonaircraft
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T252-d