NSN 5365-00-753-7164

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-753-7164

Thread Pitch Diameters:
+13.6950 to 13.7000 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Chamfer Angle In Deg:
45.0
Chamfer Length:
0.093 inches
Width:
0.625 inches
Overall Length:
1.500 inches
Thread Size:
13.750-6
Bore Diameter:
13.062 inches
Depth:
Between 0.187 inches and 0.203 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Nonstandard
Drive Type:
Externally slotted
Thread Location:
End opposite drive end
Accommodation Type And Quantity:
6 slots
Angle Between Accommodations In Deg:
60.0
Beveled Thread:
Included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Chamfered
Process End Location:
Drive end

NSN 5365-00-753-7164

Externally Threaded Ring - Page 2 of 2



Special Features:

14.250 in. Diameter by 0.437 in. W. External flange located on drive end; 3 hole equally spaced 120 degrees apart with a no.10-32 unf-3a tap

Material:

Steel, qq-s-624, comp 4130-canceled or steel, qq-s-624, comp 8630-canceled

Material:

Steel comp 4130 or steel comp 8630

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d