## NSN 5365-00-759-6663

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-759-6663 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.060 inches **Overall Length:** 0.250 inches Diameter: 0.094 inches **Thread Size:** 1.250-12 **Bore Diameter:** 0.875 inches Depth: 0.100 inches Bore Shape: Straight **Screw Thread Series Designator:** Unf **Drive Type:** Drilled face **Material Hardness Rating:** Between 40.0 rockwell c and 48.0 rockwell c **Accommodation Type And Quantity:** 2 holes Angle Between Accommodations In Deg: **Radius From Geometric Axis To Accommodation:** 0.518 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** 

Not included

Bore Edge Process:

Chamfered

## NSN 5365-00-759-6663

Externally Threaded Ring - Page 2 of 2



_			_	 	
	$r \sim c$	200	-nc	 cati	nn:

End opposite drive end

Material:

Steel, ams 5643

Material:

Steel, ams 5643

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d