

View Online at <https://aerobasegroup.com/nsn/5365-00-759-7236>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

0.015 inches

**Width:**

Between 0.120 inches and 0.130 inches

**Overall Length:**

Between 0.320 inches and 0.330 inches

**Thread Size:**

1.000-20

**Bore Diameter:**

Between 0.735 inches and 0.745 inches

**Depth:**

Between 0.150 inches and 0.160 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Unef

**Drive Type:**

Slotted inner face

**Accommodation Type And Quantity:**

8 slots

**Angle Between Accommodations In Deg:**

45.0

**Beveled Thread:**

Not included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

End opposite drive end

**Material:**

Aluminum alloy ams4121

**Material:**

Aluminum alloy ams4121

**Surface Treatment:**

Anodize

**Surface Treatment:**

Anodized

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d