Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-761-8706

Thread Class:	
2a	
Thread Direction:	
Right-hand	
Casehardening Indicator:	
Not casehardened	
Width:	
0.065 inches	
Overall Length:	
0.330 inches	
Thread Size:	
1.625-32	
Bore Diameter:	
1.407 inches	
Depth:	
0.060 inches	
Bore Shape:	
Straight	
Screw Thread Series Designator:	
Uns	
Drive Type:	
Slotted face	
Material Hardness Rating:	
Between 23.0 rockwell c and 32.0 rockwell c	
Thread Location:	
End opposite drive end	
Accommodation Type And Quantity:	
2 slots	
Angle Between Accommodations In Deg:	
180.0	
Beveled Thread:	
Included	
Bore Annular Internal Serration:	
Not included	
Setscrew Locking Notch:	
Not included	
Material:	
Steel, qq-s-763, class 416, cond h	
Material:	
Steel comp 416	
Surface Treatment:	
Passivate	

NSN 5365-00-761-8706

Externally Threaded Ring - Page 2 of 2

Surface Treatment:

Passivated

Fsc Application Data:

Aircraft gunnery fire control

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d

