NSN 5365-00-761-8706

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-761-8706 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Width: 0.065 inches **Overall Length:** 0.330 inches **Thread Size:** 1.625-32 **Bore Diameter:** 1.407 inches Depth: 0.060 inches **Bore Shape:** Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Material Hardness Rating:** Between 23.0 rockwell c and 32.0 rockwell c **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included Material: Steel, qq-s-763, class 416, cond h Material: Steel comp 416

Surface Treatment:

Passivate

NSN 5365-00-761-8706

Externally Threaded Ring - Page 2 of 2



C		T	4	4 -
Sun	ace	Trea	une	HIT.

Passivated

Fsc Application Data:

Aircraft gunnery fire control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d