

View Online at <https://aerobasegroup.com/nsn/5365-00-788-9045>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Width:**

Between 0.260 inches and 0.270 inches

**Overall Length:**

0.900 inches

**Thread Size:**

1.375-12

**Bore Diameter:**

Between 1.110 inches and 1.120 inches

**Depth:**

0.150 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Unf

**Drive Type:**

Slotted face

**Material Hardness Rating:**

Between 27.0 rockwell c and 32.0 rockwell c

**Thread Location:**

Both ends

**Accommodation Type And Quantity:**

4 slots

**Angle Between Accommodations In Deg:**

90.0

**Beveled Thread:**

Included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Special Features:**

Four slots on inner face 0.110 in. Deep and 0.270 in. Wd

**Material:**

Steel, mil-t-6736, comp 4130, type 1

**Material:**

Steel, mil-t-6736, comp 4130, type 1

**Surface Treatment:**

Phosphate, mil-p-16232, type 2

**Surface Treatment:**

Phosphate, mil-p-16232, type 2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d