NSN 5365-00-810-4495

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-810-4495 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 30.0 **Chamfer Length:** 0.025 inches Width: 0.045 inches **Overall Length:** 0.100 inches **Thread Size:** 0.563-40 **Bore Diameter:** 0.380 inches Depth: 0.025 inches Bore Shape: Straight **Screw Thread Series Designator:** Uns **Drive Type:** Slotted face **Thread Location:** End opposite drive end **Accommodation Type And Quantity:** 2 slots Angle Between Accommodations In Deg: 180.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:**

End opposite drive end

NSN 5365-00-810-4495

Externally Threaded Ring - Page 2 of 2



Steel, corrosion resisting

Material:

Stainless steel

Surface Treatment:

Passivate

Surface Treatment:

Passivated

Fsc Application Data:

Motor, electric, aircraft

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

T252-d