NSN 5365-00-820-3158

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-820-3158 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Overall Length:** Between 0.320 inches and 0.330 inches Diameter: Between 0.188 inches and 0.198 inches **Thread Size:** 2-9/16 in.-18 **Bore Diameter:** Between 1.500 inches and 1.510 inches Depth: 0.205 inches Bore Shape: Straight **Screw Thread Series Designator:** Ns **Drive Type:** Drilled face **Accommodation Type And Quantity:** 4 holes Angle Between Accommodations In Deg: 90.0 **Radius From Geometric Axis To Accommodation:** 0.937 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Special Features:** Noneface of ring countersunk both sides 1/16 in. Deep and 2-1/4 in. Dia Material: Steel, aisi mt1015

Material: Steel comp mt1015 **Surface Treatment:** Cadmium

NSN 5365-00-820-3158

Externally Threaded Ring - Page 2 of 2



Surface Treatment:
Cadmium plated
Fsc Application Data:
No-back shaft bearing, traverse mechanism, howitzer, self-propelled
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

Fiig:

T252-d