NSN 5365-00-837-9974



Externally Threaded Ring - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5365-00-837-9974
Thread Pitch Diameters:
+0.8555/+0.8588 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Chamfer Angle In Deg:
45.0
Chamfer Length:
Between 0.010 inches and 0.020 inches
Overall Length:
Between 0.105 inches and 0.109 inches
Diameter:
Between 0.057 inches and 0.067 inches
Thread Size:
7/8 -40
Bore Diameter:
Between 0.600 inches and 0.610 inches
Depth:
Between 0.060 inches and 0.080 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Uns
Drive Type:
Drilled face
Thread Location:
Both ends
Accommodation Type And Quantity:
2 holes
Angle Between Accommodations In Deg:
180.0
Radius From Geometric Axis To Accommodation:
Between 0.368 inches and 0.373 inches
Beveled Thread:
Included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Bore Edge Process:

Chamfered

NSN 5365-00-837-9974

Externally Threaded Ring - Page 2 of 2



Process End Location:
Drive end
Material:
Steel
Material:
Steel
Surface Treatment:
Passivate
Surface Treatment:
Passivated
Fsc Application Data:
Transmitter angle of attack aircraft
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T252-d