NSN 5365-00-848-8664

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-848-8664

Thread Pitch Diameters:
+0.5440/+0.5477 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Width:
0.057 inches
Overall Length:
0.250 inches
End Radius:
0.031 inches
Taper Minor Diameter:
0.356 inches
Taper Major Diameter:
0.420 inches
Thread Size:
0.576 in24
Depth:
0.057 inches
Bore Shape:
Tapered
Screw Thread Series Designator:
Uns
Drive Type:
Slotted face
Thread Location:
End opposite drive end
Accommodation Type And Quantity:
1 slots
Angle Between Accommodations In Deg:
180.0
Beveled Thread:
Not included
Taper Major Diameter Location:
Opposite drive end
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Rounded

NSN 5365-00-848-8664

Externally Threaded Ring - Page 2 of 2



Process End Location:
Drive end
Material:
Steel, qq-s-763, class 303, cond a
Material:
Steel comp 303
Surface Treatment:
Passivate
Surface Treatment:
Passivated
Fsc Application Data:
Mount, telescope, integrated with fire control equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T252-d