## NSN 5365-00-856-7295

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-856-7295 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.030 inches **Overall Length:** 0.560 inches Diameter: 0.188 inches **Thread Size:** 2 in.-16 **Bore Diameter:** 1.093 inches Depth: 0.370 inches Bore Shape: Straight **Screw Thread Series Designator:** Unef **Drive Type:** Drilled face **Material Hardness Rating:** Not rated **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Radius From Geometric Axis To Accommodation:** 0.756 inches **Beveled Thread:** Included **Bore Annular Internal Serration:** 

Not included **Setscrew Locking Notch:** Not included

## NSN 5365-00-856-7295

Externally Threaded Ring - Page 2 of 2



Bore Edge Process:
Chamfered
Process End Location:
End opposite drive end
Material:
Aluminum alloy, qq-a-268, t4-canceled
Material:
Aluminum alloy 2024
Surface Treatment:
Anodize
Surface Treatment:
Anodized
Fsc Application Data:
Drive mechanism, helicopter
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T252-d