Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-894-4988

Thread Pitch Diameters:
+0.9160/+0.9190 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Overall Length:
Between 0.140 inches and 0.144 inches
Diameter:
Between 0.036 inches and 0.040 inches
Thread Size:
0.9350-40
Bore Diameter:
0.775 inches
Depth:
Between 0.140 inches and 0.144 inches
Bore Shape:
Straight
Screw Thread Series Designator:
(uns) nonstandard
Drive Type:
Drilled face
Thread Location:
Both ends
Accommodation Type And Quantity:
4 holes
Angle Between Accommodations In Deg:
90.0
Radius From Geometric Axis To Accommodation:
0.422 inches
Beveled Thread:
Included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Any acceptable
Material:
Steel, qq-s-763, class 316, cond a
Material:
Steel comp 316

## NSN 5365-00-894-4988

Externally Threaded Ring - Page 2 of 2

Surface Treatment:

Passivate

Surface Treatment:

Passivated

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

T252-d

