## NSN 5365-00-897-6571

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-897-6571 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.050 inches Width: 0.050 inches **Overall Length:** 0.250 inches **Thread Size:** 9/16 in. -24 **Bore Diameter:** 0.375 inches Depth: 0.050 inches Bore Shape: Straight **Screw Thread Series Designator:** Unef **Drive Type:** Slotted face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Radius From Geometric Axis To Accommodation:** 0.234 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** 

Chamfered **Process End Location:** Both ends

## NSN 5365-00-897-6571

Externally Threaded Ring - Page 2 of 2



RЛ	ate	ria	ι.
IVI	ale	Пa	Ι.

Steel, mil-s-6758, cond f

Material:

Steel comp 4130

**Surface Treatment:** 

Cadmium

**Surface Treatment:** 

Cadmium plated

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d