## NSN 5365-00-900-2762

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-900-2762

Thread Pitch Diameters:
+2.1618/+2.1672 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Chamfer Angle In Deg:
45.0
Chamfer Length:
0.125 inches
Overall Length:
0.312 inches
Diameter:
0.125 inches
Thread Size:
2-3/16 in32
Bore Diameter:
1.062 inches
Depth:
0.312 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Ns
Drive Type:
Drilled face
Accommodation Type And Quantity:
2 holes
Angle Between Accommodations In Deg:
180.0
Radius From Geometric Axis To Accommodation:
0.906 inches
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Chamfered
Process End Location:

Drive end

## **NSN 5365-00-900-2762**Externally Threaded Ring - Page 2 of 2



Material:
Steel, qq-s-763, class 303, cond a
Material:
Steel comp 303
Surface Treatment:
Passivate
Surface Treatment:
Passivated
Fsc Application Data:
Antenna-receiver-transmitter group, missile tracking
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d