

View Online at <https://aerobasegroup.com/nsn/5365-00-906-1824>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0

**Chamfer Length:**

0.040 inches

**Overall Length:**

0.219 inches

**Diameter:**

Between 0.155 inches and 0.159 inches

**Thread Size:**

2.125-16

**Bore Diameter:**

Between 1.526 inches and 1.536 inches

**Depth:**

0.125 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Un

**Drive Type:**

Drilled face

**Thread Location:**

Both ends

**Accommodation Type And Quantity:**

2 holes

**Angle Between Accommodations In Deg:**

180.0

**Radius From Geometric Axis To Accommodation:**

0.912 inches

**Beveled Thread:**

Included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

End opposite drive end

**Special Features:**

Drive end counterbored 1.645 in. Diameter 0.078 in. Deep

**Material:**

Steel, astm a276 type 303 or steel, astm a276 type 416 cond a

**Material:**

Steel, astm a276 type 303 or steel, astm a276 type 416 cond a

**Surface Treatment:**

Passivate

**Surface Treatment:**

Passivated

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T252-d