NSN 5365-00-909-8409

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-909-8409 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened Chamfer Angle In Deg: 45.0 **Chamfer Length:** 0.040 inches Width: Between 0.160 inches and 0.170 inches **Overall Length:** Between 0.955 inches and 0.975 inches **Thread Size:** 2.125-16 **Bore Diameter:** Between 1.900 inches and 1.910 inches Depth: Between 0.150 inches and 0.160 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Slotted face **Material Hardness Rating:** Between 32.0 rockwell c and 36.0 rockwell c **Accommodation Type And Quantity:** 16 slots Angle Between Accommodations In Deg: **Beveled Thread:** Not included **Bore Annular Internal Serration:**

Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Drive end

NSN 5365-00-909-8409

Externally Threaded Ring - Page 2 of 2



Special Features:

10 holes 0.243 in. Min dia, 0.257 in. Maximum dia, equally spaced on 1.250 in. Diameter bolt circle located on drive end

Material:

Steel, b50t1135 99207

Material:

Steel, b50t1135 99207

Surface Treatment:

Oxide

Surface Treatment:

Black oxide

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T252-d