

View Online at <https://aerobasegroup.com/nsn/5365-00-914-0706>

Thread Class:

2a

Thread Direction:

Right-hand

Casehardening Indicator:

Not casehardened

Width:

0.060 inches

Overall Length:

Between 0.250 inches and 0.260 inches

Thread Size:

1/4 in. -28

Bore Diameter:

Between 0.123 inches and 0.128 inches

Depth:

Between 0.060 inches and 0.070 inches

Bore Shape:

Straight

Screw Thread Series Designator:

Unf

Drive Type:

Slotted face

Material Hardness Rating:

105.0 rockwell b

Thread Location:

Both ends

Accommodation Type And Quantity:

2 slots

Angle Between Accommodations In Deg:

180.0

Beveled Thread:

Included

Bore Annular Internal Serration:

Not included

Setscrew Locking Notch:

Not included

Material:

Steel, qq-s-763, class 303 or steel, qq-s-763, class 303se or steel, qq-s-763, class 304

Material:

Steel comp 303 or steel comp 303se or steel comp 304

Surface Treatment:

Passivate

Surface Treatment:

Passivated

Fsc Application Data:

Fuel control, jet engine, aircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d