Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-925-3574

Thread Pitc	n Diameters:
+1.2871/+1.2	2910 inches
Thread Dire	ction:
Right-hand	
Caseharden	ing Indicator:
Not casehare	lened
Chamfer An	gle In Deg:
45.0	
Chamfer Le	ngth:
0.030 inches	
Width:	
0.062 inches	
Overall Len	jth:
0.348 inches	
Thread Size	<u>.</u>
1 5/16 in32	1
Bore Diame	ter:
Between 1.1	90 inches and 1.195 inches
Depth:	
0.047 inches	
Bore Shape	
Straight	
Screw Threa	ad Series Designator:
Ns	
Drive Type:	
Slotted face	
Accommod	ation Type And Quantity:
2 slots	
Angle Betw	een Accommodations In Deg:
180.0	
Beveled Th	ead:
Not included	
Bore Annula	ar Internal Serration:
Not included	
Setscrew Lo	ocking Notch:
Not included	
Bore Edge I	Process:
Chamfered a	nd rounded
Process En	J Location:
Drive end	
Material:	
Aluminum al	oy, ww-t-700/3, t3

NSN 5365-00-925-3574

Externally Threaded Ring - Page 2 of 2



Material:

Aluminum alloy 2024

Surface Treatment:

Anodize

Surface Treatment:

Anodized

Fsc Application Data:

Antenna-receiver transmitter group, missile tracking

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d