Externally Threaded Ring - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5365-00-938-3631



Thread Class: 3a **Thread Direction: Right-hand Casehardening Indicator:** Not casehardened Width: Between 0.365 inches and 0.385 inches **Overall Length:** Between 0.295 inches and 0.305 inches **Thread Size:** 6.700-16 **Bore Diameter:** Between 6.150 inches and 6.170 inches Depth: Between 0.120 inches and 0.160 inches Bore Shape: Straight Screw Thread Series Designator: Unjs **Drive Type:** Slotted bore **Material Hardness Rating:** Between 32.0 rockwell c and 38.0 rockwell c **Thread Location:** Both ends **Accommodation Type And Quantity:** 16 slots Angle Between Accommodations In Deg: 22.5 **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included Setscrew Locking Notch: Not included Material: Steel, ams 6322 or steel, ams 6323 Material: Steel comp 8740 or steel comp 8740 **Surface Treatment:**

Silver

NSN 5365-00-938-3631

Externally Threaded Ring - Page 2 of 2



Surface Treatment:

Silver, ams 2412

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

T252-d