NSN 5365-00-949-5953

Sleeve Spacer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5365-00-949-5953
Overall Length:
Between 1.2440 inches and 1.2460 inches
Body Outside Diameter:
Between 1.3000 inches and 1.3200 inches
Body Inside Diameter:
Between 1.1840 inches and 1.1890 inches
End Application:
Accessory gear box, transmission system, helicopter
Left Flange Outside Diameter:
Between 1.3550 inches and 1.3750 inches
Right Flange Outside Diameter:
Between 1.3550 inches and 1.3750 inches
Left Flange Width:
0.1870 inches
Right Flange Width:
0.1870 inches
Corner Shape:
Corner Shape.
Square right flange outside left corner
Square right flange outside left corner
Square right flange outside left corner Hardness Rating:
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material:
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification:
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification: Mil-t-6736, type 1, cond n military specification single material response
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification: Mil-t-6736, type 1, cond n military specification single material response Style Designator:
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification: Mil-t-6736, type 1, cond n military specification single material response Style Designator: 18c solid, external flanges both ends
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification: Mil-t-6736, type 1, cond n military specification single material response Style Designator: 18c solid, external flanges both ends Shelf Life:
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification: Mil-t-6736, type 1, cond n military specification single material response Style Designator: 18c solid, external flanges both ends Shelf Life: N/a
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification: Mil-t-6736, type 1, cond n military specification single material response Style Designator: 18c solid, external flanges both ends Shelf Life: N/a
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification: Mil-t-6736, type 1, cond n military specification single material response Style Designator: 18c solid, external flanges both ends Shelf Life: N/a Unit Of Measure:
Square right flange outside left corner Hardness Rating: 26.0 rockwell c and 33.0 rockwell c Material: Steel comp 4130 Material Specification: Mil-t-6736, type 1, cond n military specification single material response Style Designator: 18c solid, external flanges both ends Shelf Life: N/a Unit Of Measure: Demilitarization:

Mil-t-6736 spec.

Mil-std (military Standard):