NSN 5365-00-950-2665

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-950-2665

Inread Pitch Diameters:
+3.4352/+3.4402 inches
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Chamfer Angle In Deg:
45.0
Chamfer Length:
0.015 inches
Width:
0.046 inches
Overall Length:
0.400 inches
Thread Size:
3-15/32 in24
Bore Diameter:
2.843 inches
Depth:
0.078 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Uns
Drive Type:
Slotted face
Thread Location:
Drive end
Accommodation Type And Quantity:
2 slots
Angle Between Accommodations In Deg:
180.0
Beveled Thread:
Not included
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch:
Not included
Bore Edge Process:
Chamfered
Process End Location:
End opposite drive end

NSN 5365-00-950-2665

Externally Threaded Ring - Page 2 of 2



Material:
Steel, qq-s-763, class 303
Material:
Steel comp 303
Surface Treatment:
Passivate
Surface Treatment:
Passivated
Fsc Application Data:
Drive, ballistic, m10, fire control computting sights
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: T252-d