NSN 5365-00-952-1857

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-00-952-1857 **Thread Class:** 2b **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Overall Length:** 0.312 inches Diameter: 0.110 inches **Thread Size:** 2-1/4 in. - 16 **Bore Diameter:** 1.560 inches Depth: 0.125 inches **Bore Shape:** Straight **Screw Thread Series Designator:** 16un or 16n **Drive Type:** Drilled face **Material Hardness Rating:** Not rated **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Radius From Geometric Axis To Accommodation:** 0.937 inches **Beveled Thread:** Included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:** Not included Material: Aluminum alloy, qq-a-327, t6-canceled

Material:

Aluminum alloy 6061

NSN 5365-00-952-1857

Externally Threaded Ring - Page 2 of 2



	Trea	

Anodized

Fsc Application Data:

Radar test set, guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d