

View Online at <https://aerobasegroup.com/nsn/5365-01-012-7596>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Casehardening Indicator:**

Not casehardened

**Chamfer Angle In Deg:**

45.0 and 45.0

**Chamfer Length:**

0.015 inches and 0.050 inches

**Width:**

0.250 inches

**Overall Length:**

0.480 inches

**Thread Size:**

3.600-16

**Bore Diameter:**

3.220 inches

**Depth:**

0.190 inches

**Bore Shape:**

Straight

**Screw Thread Series Designator:**

Un

**Drive Type:**

Slotted face

**Thread Location:**

Both ends

**Accommodation Type And Quantity:**

4 slots

**Angle Between Accommodations In Deg:**

90.0

**Beveled Thread:**

Included

**Bore Annular Internal Serration:**

Not included

**Setscrew Locking Notch:**

Not included

**Bore Edge Process:**

Chamfered

**Process End Location:**

Drive end and end opposite drive end

**Material:**

Copper alloy, qq-c-530

**Material:**

Copper alloy 172 or copper alloy 173

**Surface Treatment:**

Cadmium and chromate

**Surface Treatment:**

Cadmium, qq-p-416, type 2, class 2

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T252-d