## NSN 5365-01-012-7596

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-012-7596 **Thread Class:** За **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 and 45.0 **Chamfer Length:** 0.015 inches and 0.050 inches Width: 0.250 inches **Overall Length:** 0.480 inches **Thread Size:** 3.600-16 **Bore Diameter:** 3.220 inches Depth: 0.190 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Slotted face **Thread Location:** Both ends **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 90.0 **Beveled Thread:** Included **Bore Annular Internal Serration:** 

Not included **Setscrew Locking Notch:** Not included **Bore Edge Process:** Chamfered **Process End Location:** Drive end and end opposite drive end

## NSN 5365-01-012-7596

Externally Threaded Ring - Page 2 of 2



Material:

Copper alloy, qq-c-530

Material:

Copper alloy 172 or copper alloy 173

**Surface Treatment:** 

Cadmium and chromate

**Surface Treatment:** 

Cadmium, qq-p-416, type 2, class 2

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T252-d