NSN 5365-01-046-1084

Machine Thread Bushing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-046-1084

Thread Direction:
Right-hand
Countersink Angle In Deg:
90.0
Counterbore Diameter:
0.250 inches
Counterbore Depth:
0.370 inches
Overall Length:
0.550 inches
Thickness:
0.080 inches
Wrenching Facility Shape:
Hexagon
Countersink Depth:
Between 0.030 inches and 0.038 inches
Screw Thread Length:
0.270 inches
Width Across Flats:
0.500 inches
Counterbore Location:
Threaded end
Countersink Location:
Wrenching end
Hole Inside Diameter:
Between 0.209 inches and 0.210 inches
Features Provided:
Counterbore and countersunk
Thready Qty Per Inch (tpi):
24
Thread Size:
0.375 inches
Material:
Steel comp 303
Material Specification:
Astm a582, cond a assn standard single material response or pds10706fa 97942 mfr ref single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
${\sf Qq\text{-}p\text{-}35},\ type\ 2\ federal\ specification\ single\ treatment\ response\ or\ ps83116na\ 97942\ mfr\ ref\ single\ treatment\ response\ ps83116na\ ps83$
Thread Series Designator:

Unf

NSN 5365-01-046-1084

Machine Thread Bushing - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A540s0