NSN 5365-01-050-3766

Externally Threaded Ring - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5365-01-050-3766 **Thread Class:** 2a **Thread Direction:** Right-hand **Casehardening Indicator:** Not casehardened **Chamfer Angle In Deg:** 45.0 **Chamfer Length:** 0.047 inches **Overall Length:** 0.562 inches Diameter: 0.250 inches **Thread Size:** 2.625-16 **Bore Diameter:** 0.938 inches Depth: 0.188 inches Bore Shape: Straight **Screw Thread Series Designator:** Un **Drive Type:** Drilled face **Accommodation Type And Quantity:** Angle Between Accommodations In Deg: 180.0 **Radius From Geometric Axis To Accommodation:** 1.000 inches **Beveled Thread:** Not included **Bore Annular Internal Serration:** Not included **Setscrew Locking Notch:**

Setscrew Locking Note
Not included
Bore Edge Process:
Chamfered
Process End Location:
Both ends

NSN 5365-01-050-3766

Externally Threaded Ring - Page 2 of 2



Material:

Steel, qq-s-634, comp 1020-canceled

Material:

Steel comp 1020

Surface Treatment:

Cadmium plate qq-p-416 type 1 cl 3

Surface Treatment:

Cadmium plate qq-p-416 type 1 cl 3

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T252-d