Externally Threaded Ring - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5365-01-052-1451



Thread Class:
2a
Thread Direction:
Right-hand
Casehardening Indicator:
Not casehardened
Width:
Between 0.031 inches and 0.041 inches
Overall Length:
Between 0.145 inches and 0.150 inches
Thread Size:
0.375-24
Bore Diameter:
Between 0.202 inches and 0.208 inches
Depth:
Between 0.046 inches and 0.056 inches
Bore Shape:
Straight
Screw Thread Series Designator:
Unf
Drive Type:
Slotted face
Thread Location:
Both ends
Accommodation Type And Quantity:
2 slots
Angle Between Accommodations In Deg:
180.0
Beveled Thread:
Bore Annular Internal Serration:
Not included
Setscrew Locking Notch: Not included
Bore Edge Process:
Any acceptable
Material:
Cres astm a581 type 303 cond a or cres astm a581 type 303se cond a
Material:
Cres astm a581 type 303 cond a or cres astm a581 type 303se cond a
Surface Treatment:
Passivate

## NSN 5365-01-052-1451

Externally Threaded Ring - Page 2 of 2

Surface Treatment:

Passivated, qq-p-35

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

T252-d

